

CERTIFICATION OF COMPLIANCE

We hereby certify, based upon a reasonable testing program, that the product identified below complies with all applicable standards under the Poison Prevention Packaging Act enforced by the U.S. Consumer Product Safety Commission.

1. Product covered by this certificate: NDC 0496-0892-30 RectiCare™ (Lidocaine 5%) Anorectal Cream 30g Lot 15078A

2. Citation to each CPSC product safety regulation to which this product is being certified: 16 CFR §§1700.14(a)(23), 1700.15(a) and (b), and 1700.20.

3. Manufacturer certifying compliance of the product: Ferndale Laboratories, Inc., 780 W. 8 Mile Rd., Ferndale MI 48220 Tel: 800-621-6003

4. Identification of the U.S. importer, if applicable, certifying compliance of the product: N/A

5. Identification of the private labeler, if applicable, certifying compliance of the product (if any): N/A

6. Contact information for the individual maintaining records of test results:

Cecile Cruz, Regulatory Specialist
Ferndale Laboratories, Inc.
780 W. 8 Mile Rd.
Ferndale MI 48220
800-621-6003 Ext. 522
e-mail:ccruz@ferndalelabs.com

7. Date and place where this product was manufactured:

May
Month

2015
Year

Ferndale, Michigan USA

8. Date and place where this product's packaging was tested for compliance with the regulation(s) cited above:

November 17, 1998

Hightstown, NJ

9. Identification of any third-party laboratory on whose testing the certificate depends:

Perritt Laboratories, Inc.
145 South Main Street
P.O. Box 147
Hightstown NJ 08520
609-443-4848